



# GENEMED SYNTHESIS, INC.

6203 Wood Lake Center Dr., Bldg. 2, San Antonio, TX 78244, USA  
Toll free (800) 344-5337; Phone: (210) 745-5988; Fax (210) 745-5992  
Email: [info@genemedsyn.com](mailto:info@genemedsyn.com), Website: [www.genemedsyn.com](http://www.genemedsyn.com)

## Product Data Sheet

<b>Cat #.</b> PRTA13-A	<b>Chicken Anti-Protein A IgG-Peroxidase Conjugate</b> Chicken Anti-Protein A IgG, aff pure	<b>Size:</b> 100 ug
	<b>Form:</b> Liquid	Powder
<b>Cat #.</b> PRTA13-HRP	Chicken Anti-Protein A IgG-Peroxidase Conjugate	<b>Size:</b> 0.1 ml
	<b>Form:</b> Liquid	Powder

### Description

Recombinant Protein A from *Staphylococcus aureus* Cowan I is expressed in Bacillus and purified (>98%, ~45 kDa).

Chickens were immunized with antigen grade Protein-A. Antibodies (IgG/Y) was purified from egg yolks and affinity chromatography using Protein-A Agarose column. Specificity has been tested using IEP, immunodiffusion, and ELISA. The product reacts with Protein-A. Purified anti-Protein-A IgG/Y was labeled with highly purified preparation of horseradish peroxidase by periodate method (1)

### Cat# PRTA13-A,

Affinity purified antibody is supplied in PBS, pH 7.4 in liquid (100 ug/100ul) or in powder form. Reconstitute powder in PBS at 1 mg/ml. Store at -20oC or below in suitable aliquots.

### Cat# PRTA13-HRP,

Purified antibody was coupled to HRP (RZ>3.0) using periodate method. The molar enzyme to protein (E/P) ratio = 4.0. The antibody is supplied in stabilizing buffer, 0.1% prolcin-300 as preservative in either **lyophilized** (0.5 ml) or **liquid** form (0.5-0.5 mg/ml). Reconstitute powder in PBS in 1 ml. Store at 4oC in suitable aliquots. Stability is ~6-12 months. Do not freeze and thaw.

Suggested conjugate dilutions are 1:1,000-1:10,000 ELISA, 1:1K-1:5K for western, and 1:200-1:1000 (IHC).

### Recommended Working Dilution for ELISA

Working dilution for the specific application should be determined by the investigator to obtain the best conditions. However, dilution of 1:1000-1:5000 is recommended for Western. A dilution of 1:5000-1:20,000 is recommended for ELISA. Working solution should be prepared immediately before use and diluted solution should be discarded.

### Related Material available for GSI

Single solution, ready to use, TMB substrates for Blotting & ELISA

Anti-Rabbit, Mouse, Human, Goat, Chicken IgG-HRP conjugates

StainAll reversible dye for Immunoblotting (visualize transfer of proteins on blotting membranes within seconds)

**Western blot recycling kit** (Use the same blot/strip to probe with multiple antibodies)

**Strip Antibodies in 5 minutes** (no heating or mercaptoethanol)

### Chemiluminescence Substrates and Western blot kits

(save by complete kit that includes Anti-rabbit IgG-HRP conjugate, blocking buffer, wash buffer, and Chemiluminescence Substrates for processing 15-30 std size blots). In vitro research use only.

**MSDS:** This product is considered non-hazardous as defined by OSHA (CFR 1910.1200. Nov 25, 1983). It can be disposed of in the drain.

### Protein-A ELISA Kits

PRT13-A-, PR13-HRP

140228VP